

Work Order ID 164854

Thursday, August 03, 2017 11:40:46 AM

164854*Ship Aug 14th*

Page 1

Item ID: D206-781-061

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Baggage Compartment Protector - Floor And Wall

Start Date: 8/8/2017

Start Qty: 2.00

2

Cust Item ID:

Required Date: 8/11/2017

Req'd Qty: 2.00

2

Customer:

Reference:

DAS

21

9-89

Approvals:

Process Plan:

Date: *AUG 03 2017*

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

DSI9649

A

IIN-D407-781

D

100

Document Control

0.00

*AUG 10 2017****100***

DC

0.00

Doc.Control -USB or Paperwork

Memo

Photocopy bluefile & type labels per PPP D206-781-061
CHG002*2*DAS
27
9-89*AUG 14 2017*

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

*2**AUG 10 2017*DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY					
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐						
Misidentified ☐	Past Due ☐							

Work Order ID 164854

Thursday, August 03, 2017 11:40:46 AM

164854

Page 2

Item ID: D206-781-061 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Baggage Compartment Protector - Floor And Wall
 Start Date: 8/8/2017 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 8/11/2017 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.06				2	DAS 27 9-89		
Quality Control									AUG 14 2017
130	Identify as per dwg & Stock Location: F9025	0.00							
130									
Packaging	Memo	0.00				2	DAS 27 9-89		
Packaging	Identify and pack for shipping as per PPP D206-781-061 Location: _____ PPP rev: _____								AUG 14 2017
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.20					DAS 21 9-89		AUG 14 2017
Quality Control									
							DAS 21 9-89		AUG 14 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Thursday, August 03, 2017 11:40:49 AM

Page 1

Work Order ID: 164854

164854

Parent Item: D206-781-061

D206-781-061

Parent Item Name: Baggage Compartment Protector - Floor And Wall

Start Date: 8/8/2017

Required Date: 8/11/2017

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP RevA: new issue DD 09.12.02 verified by:EC
13.05.01 chg002 ECN13-557 DD verf:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D206-781-031		Manufactured	No			110	Each	0.0000	1	2			
D206-781-031									**				
Baggage Compartment Protector - Floor													
D206-781-041		Manufactured	No			110	Each	0.0000	1	2			
D206-781-041									**				
Baggage Compartment Protector - Wall													

DAS
27
9-89

DAS
28
9-89

164855 AUG 10 2017
164857 AUG 10 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D407-781-2 REV. A OR LATER APPROVED REVISION
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D407-781 REV. 3 OR LATER REVISION

REF. TCCA STC: SH08-60
REF. FAA STC: SR002726NY
REF. EASA.IM.R.S.01541

1.0 PURPOSE

In some aircraft, the top portion of the D206-781-041 Baggage Compartment Wall Protector Kit cannot be installed as indicated in IIN-D407-781-2. The purpose of this DSI is to provide an alternate mounting method to fasten the top portion of the D206-781-041 Baggage Compartment Wall Protector Kit.

2.0 INSTALLATION

It is acceptable to replace qty(2) D3930-1 Clips with qty(2) 80-004-2-6 Inserts. Locate and mark location of the two attachment holes on the baggage compartment wall as shown in Figure 1 of this service instruction. Install 80-004-2-6 Inserts at the marked locations in accordance with Section 3-2-12 of BHT-206-SRM-1. It is acceptable to trim the wall protectors to accommodate optional equipment or transfer attachment holes to the wall protector and install the optional equipment on top of the wall protector with longer fasteners.

3.0 PARTS LIST

Amend the D206-781-041 Baggage Compartment Wall Protector Kit parts list as follows:

5.1 / 25.48.1 (ref. IIN-D407-781-2 Rev. A / ICA-D407-781 Rev. 3 or earlier)

ADD:

Qty -061	Qty -031	Qty -041	Part Number	Description
X			D206-781-061	BAGGAGE COMPARTMENT PROTECTOR KIT (FLOOR AND WALL)
1	X		D206-781-031	BAGGAGE COMPARTMENT FLOOR PROTECTOR KIT
1		X	D206-781-041	BAGGAGE COMPARTMENT WALL PROTECTOR KIT
		2	AN525-10R7	SCREW
		2	80-004-2-6	INSERT

SHOF COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 164854405
1308-03

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)

DATE: 13.04.12
CERT. NO.: SH08-60
ISSUE NO.: 1

A	NEW ISSUE		13.04.08
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.	N/A		
APPROVED			
DE APPR.			
DATE	13.04.08		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		REV. A SHEET 1 OF 2	
DRAWING NO. DSI 9649		SCALE NTS	
TITLE ALTERNATE INSTALL			
COPYRIGHT © 2013 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																



**FIGURE 1 - D3879-1 BAGGAGE COMPARTMENT WALL
PROTECTOR - ALTERNATE INSTALLATION**

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-Q-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 13.04.12
CERT. NO.: SH08-60
ISSUE NO.: 1

DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9649	SHEET 2 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	ALTERNATE INSTALL	NTS
DATE	13.04.08	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	OTHER :							
Misidentified	☐	Past Due								

Work Order ID 164854

Thursday, August 03, 2017 11:40:46 AM

164854*Ship Aug 14th*

Page 1

Item ID: D206-781-061

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Baggage Compartment Protector - Floor And Wall

Stop

NS2

Start Date: 8/8/2017 Start Qty: 2.00

2

Cust Item ID:

Required Date: 8/11/2017 Req'd Qty: 2.00

2

Customer:

Reference:

DAS

21

Approvals:

Process Plan:

9-89

Date: AUG 03 2017

Tooling:

Date:

Run

Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool # Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

DSI9649

A

IIN-D407-781

D

100

Document Control

DAS

0.00

9-89

AUG 10 2017

DAS

5

9-89

100

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D206-781-061
CHG002

AUG 14 2017

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

2 AUG 18 2017 al



Department of Transport

Supplemental Type Certificate

This approval is issued to:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ontario
Canada K6A 1K7

Number: SH08-60

Issue No.: 1

Approval Date: December 29, 2008

Issue Date: December 29, 2008

Responsible Office:

Prairie and Northern

Aircraft/Engine Type or Model:

BELL 206, 206A, 206A-1, 206B, 206B-1, 206L, 206L-1, 206L-3, 206L-4, 407

Canadian Type Certificate or Equivalent:

H-92

Description of Type Design Change:

Interior Trim Panels

**Installation/Operating Data,
Required Equipment and Limitations:**


Installation of Interior Trim Panels to be in accordance with Transport Canada approved DART Aerospace Ltd. Installation Instructions IIN-D407-781 Revision A, dated October 22, 2008 or later Transport Canada approved revision.

Manufacture of Interior Trim Panels to be in accordance with Transport Canada approved DART Aerospace Ltd. Master Document List MDL-D407-781 Revision A, dated December 19, 2008 or later Transport Canada approved revision.

Instructions for Continued Airworthiness contained in DART Aerospace Ltd. Document ICA-D407-781 Revision 0, dated November 20, 2008 or later applicable revision is required with this installation.

Basis of Certification for affected airworthiness standards is CFR 14, Part 27 at amendment 27-44.

— End —



Conditions: This approval is only applicable to the type/model of aeronautical product specified therein. Prior to incorporating this modification, the installer shall establish that the interrelationship between this change and any other modification(s) incorporated **will not** adversely affect the airworthiness of the modified product.



Greg Oucharek
For Minister of Transport

Canada

5.0 PARTS LIST

5.1 BELL 206 A/B

Qty -061	Qty -031	Qty -041	Part Number	Description
X			D206-781-061	BAGGAGE COMPARTMENT PROTECTOR KIT (FLOOR AND WALL)
1	X		D206-781-031	BAGGAGE COMPARTMENT FLOOR PROTECTOR KIT
1		X	D206-781-041	BAGGAGE COMPARTMENT WALL PROTECTOR KIT
	1		D3878-1	BAGGAGE PROTECTOR, FLOOR
		1	D3879-1	BAGGAGE PROTECTOR, WALL
	1		D3031-3	LOOP
		2	D3800-1-100-300	LOOP STRIP
		2	D3800-3-100-300	HOOK STRIP
	1		D3918-1	PLACARD
		2	D3930-1	CLIP
		4	MS35207-262	SCREW
		6	AN960C10L	WASHER
		6	MS21042L3	NUT
	2		80-004-2-8	INSERT
	14	10	MS24694S50	SCREW

5.2 BELL 206 L/L1/L3/L4 AND 407

Qty -063	Qty -033	Qty -043	Part Number	Description
X			D206-781-063	BAGGAGE COMPARTMENT PROTECTOR KIT (FLOOR AND WALL)
1	X		D206-781-033	BAGGAGE COMPARTMENT FLOOR PROTECTOR KIT
1		X	D206-781-043	BAGGAGE COMPARTMENT WALL PROTECTOR KIT
	1		D3878-1	BAGGAGE PROTECTOR, FLOOR
		1	D3879-3	BAGGAGE PROTECTOR, WALL
		2	D3800-1-100-300	LOOP STRIP
		2	D3800-3-100-300	HOOK STRIP
	1		D3918-1	PLACARD
		2	D3930-1	CLIP
		2	D3931-1	ANGLE
		4	MS35207-262	SCREW
		8	AN960C10L	WASHER
		8	MS21042L3	NUT
	18	8	MS24694S50	SCREW